



## **Updated Detection Window Guide for Urine Drug Testing**

### **Benzodiazepines**

Alprazolam (Xanax) &  $\alpha$ OH-Alprazolam (Metabolite) – **3-7 Days**

Clonazepam (Klonopin) & 7-Aminoclonazepam (Metabolite) – **3-7 Days**

Lorazepam (Ativan) – **3-7 Days**

Diazepam (Valium) & Nordiazepam (Librium / Metabolite of Diazepam) – **3-10 Days**

Temazepam (Restoril / Metabolite of Diazepam) – **3-7 Days**

Oxazepam (Serax / Metabolite of Temazepam & Nordiazepam) – **3-7 Days**

### **Opioids**

Codeine (Tylenol III) – **1-3 Days**

Morphine (Prescribed / Metabolite of Codeine / Possible Metabolite of 6-MAM) – **2-3 Days**

Hydrocodone (Vicodin / Possible Metabolite of Codeine) – **2-3 Days**

Hydromorphone (Dilaudid / Metabolite of Morphine & Hydrocodone) – **1-2 Days**

Norhydrocodone (Metabolite of Hydrocodone) – **1-2 Days**

Noroxycodone (Metabolite of Oxycodone) – **1-2 Days**

Methadone (Dolophine) & EDDP (Metabolite of Methadone) – **3-7 Days**

Fentanyl (Actiq, Duragesic) & Norfentanyl – **1-3 Days**

Buprenorphine (Prescribed) & Norbuprenorphine (Buprenex / Metabolite of Buprenorphine) – **2-3 Days**

Tramadol (Ultram) & O-desmethyltramadol (Metabolite of Tramadol) – **1 Day**

Oxycodone (Percocet) – **2-4 Days**

Oxymorphone (Opana / Metabolite of Oxycodone) – **1-3 Days**

Propoxyphene (Darvocet) & Norpropoxyphene (Metabolite of Propoxyphene) – **1-2 Days**

Tapentadol (Nucynta) – **1-2 Days**

Meperidine (Demerol) & Normeperidine (Metabolite of Meperidine) – **1-7 Days**

Pentazocine (Talwin, Fortral, Sosegon) – **1-3 Days**



## **Opioid Antagonists**

Naloxone (Narcan, Evzio) – **10-15 Hours**

## **Stimulants**

Amphetamine (Adderall, Vyvanse, Dexedrine / Metabolite of Methamphetamine) – **2-4 Days**

Methamphetamine (Benzedrine, Desoxyn, Methedrine, Vicks Inhaler, Meth, Crystal) – **3-5 Days**

Ritalinic Acid (Ritalin) – **2-4 Days**

## **Illicits**

Benzoyllecgonine (Cocaine, Crack, Coke) – **2-4 Days**

THC / THC-COOH (Marijuana, Medical Marijuana, Marinol) – **2-30 Days**

MDMA (Ecstasy, Molly) – **1-3 Days**

MDA (Sally, Sass) – **1-3 Days**

MDEA (Eve) – **1-3 Days**

MDPV (Bath Salts) – **2-4 Days**

UR-144 5-Pentaoinic Acid – **3 Days**

$\alpha$ -PVP (Flakka, Synthetic Cathinone) – **1-3 Days**

Mitragynine (Kratom, Thang, Ketum) – **2-3 Days**

6-Monoacetylmorphine [6-MAM / 6-AM] (Metabolite of Heroin, Smack, Scat) – **Less than 8 hours**

Phencyclidine (PCP, Angel Dust) – **7-14 Days**

## **Relaxant / Sleep Aids**

Carisoprodol (Soma) – **1-2 Days**

Meprobamate (Equaril / Metabolite of Carisoprodol) – **1-4 Days**

Cyclobenzaprine (Flexeril, Amrix, Fexmid) – **1-4 Days**



### **GABA Inhibitors**

Gabapentin (Neurontin, Gralise) – **1-4 Days**

Pregabalin (Lyrica) – **1-4 Days** Levetiracetam

(Keppra) – **8 hours**

### **Tricyclic Antidepressants (TCAs)**

Amitriptyline (Elavil) – **7-10 Days**

Nortriptyline (Pamelor / Metabolite of Amitriptyline) – **7 – 10 Days**

Doxepin (Aponal) & Desmethyldoxepin (Metabolite of Doxpin) – **7-10 Days**

Imipramine (Tofranil) & Desipramine (Metabolite of Imipramine) – **7-10 Days**

Clomipramine (Anafranil) & Desmethylclomipramine (Metabolite of Clomipramine) – **7-10 Days**

### **Barbiturates**

Butalbital (Fioricet, Fiorinal) – **1-7 Days**

Phenobarbital (Luminal) – **2-3 Weeks**

### **Nicotine Metabolite**

Cotinine (Metabolite of Nicotine) – **2-4 Days**

### **Sedative Hypnotics (Non-Benzodiazepines)**

Zolpidem (Ambien, Edluar, Intermezzo) – **1-3 Days**

Zaleplon (Sonata) – **24-36 Hours**

### **Selective Serotonin Reuptake Inhibitors (SSRI)**

Citalopram (Celexa, Lexapro) & Desmethylcitalopram (Metabolite of Citalopram) – **4-10 Days**

Fluoxetine (Prozac) & Norfluoxetine (Metabolite of Fluoxetine) – **4-10 Days**

Paroxetine (Paxil) – **4-10 Days**

Sertraline (Zoloft) – **4-10 Days**



Trazodone (Oleptro, Desyrel) – **4-10 Days**

### **Selective Norepinephrine Reuptake Inhibitors (SNRi)**

Venlafaxine (Effexor) – **7-14 Days**

O-desmethylvenlafaxine (Pristiq, Metabolite of Venlafaxine) – **7-14 Days**

***\*NOTE: Detection windows are approximate values that depend upon the drug metabolism and half-life, individual metabolism, fluid intake, and dosage. This document is intended to be used as a general guideline only.***

References: Select Laboratory Partners, Howard A. Heit MD, Douglas L. Gourlay MD